Altmann Oliver Associates, LLC

PO Box 578

Carnation, WA 98014

Office (425) 333-4535

Fax (425) 333-4509



February 16, 2022

AOA-6695

Farid Mohajerjasbi Dynasty Realty Inc dynastyrealtyinc@comcast.net

SUBJECT: Wetland Delineation for Parcel 342406-9301

City of Issaquah, WA

Dear Farid:

On January 11, 2022 I conducted a wetland reconnaissance on and adjacent to the undeveloped and forested subject property utilizing the methodology outlined in the May 2010 Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Coast Region (Version 2.0).

One wetland (Wetland A) was identified and delineated in the western portion of the site during the field investigation. The boundary of the wetland was subsequently surveyed and is depicted on **Figure 1**. **Attachment A** contains data sheets prepared for a representative location in both the wetland and upland. These data sheets document the vegetation, soils, and hydrology information that aided in the wetland boundary delineation.

Wetland A

Wetland A on the site is part of a very large wetland system associated with Issaquah Creek. Most of the wetland was flooded at the time of the field investigation and the area of the wetland in the vicinity of the site included forested and emergent components that were dominated by red alder (*Alnus rubra*), Himalayan blackberry (*Rubus armeniacus*), salmonberry (*Rubus spectabilis*), reed canarygrass (*Phalaris arundinacea*), and soft rush (*Juncus effusus*).

Wetland A meets the criteria for a Category I wetland with 7 Habitat Points (**Attachment B**). Category I wetlands with 7 Habitat Points require a standard 150-foot buffer plus 15-foot building setback from the wetland edge.

Farid Mohajerjasbi February 16, 2022 Page 2

Recommendation

Since the majority of the wetland is located off-site it is my recommendation that the wetland delineation and rating be approved by the City of Issaquah as early in the process as possible.


If you have any questions regarding the delineation or rating, please give me a call.

Sincerely,

ALTMANN OLIVER ASSOCIATES, LLC

John Altmann Ecologist

Attachments



ATTACHMENT A DATA SHEETS

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

| Project Site: Parcel 3424069301 | | | City/Count | ty: <u>Issaquah/King</u> | Sampling Date: | <u>1/11/22</u> | |
|--------------------------------------------------------------|----------------------------|----------------------------------------|----------------------------|--------------------------------------------|-------------------------------|----------------|-------------|
| Applicant/Owner: <u>Dynasty</u> | | | | State: WA | Sampling Point: | <u>DP#1</u> | |
| Investigator(s): <u>John Altmann</u> | | | | Section, Township, Ra | ange: <u>S34,T24N,R6E</u> | | |
| Landform (hillslope, terrace, etc.): | | Local | relief (conca | ave, convex, none): | Slope | e (%): | _ |
| Subregion (LRR): <u>A</u> | Lat: <u>47.51</u> | 994 | | Long: <u>-122.03272</u> | Datum: | | |
| Soil Map Unit Name: | | | | NWI cl | assification: | | |
| Are climatic / hydrologic conditions on the site typical for | this time of y | ear? Ye | es 🛚 | No | n in Remarks.) | | |
| Are Vegetation □, Soil □, or Hydrology | ☐, significa | antly disturbed | ? Are "N | Normal Circumstances" preser | nt? Yes | ⊠ No | |
| Are Vegetation □, Soil □, or Hydrology | □, naturally | y problematic? | (If nee | eded, explain any answers in I | Remarks.) | | |
| | | | | | | | |
| SUMMARY OF FINDINGS – Attach site map sh | | | locations, | transects, important feat | tures, etc. | | |
| Hydrophytic Vegetation Present? | Yes | No 🛛 | Is the Samp | lad Araa | | | |
| Hydric Soil Present? | Yes 🛚 | NO L | within a We | | Yes | ⊠ No | |
| Wetland Hydrology Present? | Yes 🛚 | No 🗆 | | | | | |
| Remarks: located 10' into wetland at A-7 | | | | | | | |
| | | | | | | | |
| | | | | | | - | |
| VEGETATION – Use scientific names of plants | Absoluto | Daminant | Indicator | T | | | |
| Tree Stratum (Plot size: 10) | Absolute <u>% Cover</u> | Dominant Species? | Indicator <u>Status</u> | Dominance Test Workshe | et: | | |
| 1. Alnus rubra | <u>75</u> | <u>yes</u> | <u>FAC</u> | Number of Dominant Specie | | | (\ \ |
| 2 | | | | That Are OBL, FACW, or FA | AC: <u>3</u> | | (A) |
| 3 | | | | Total Number of Dominant | <u>6</u> | | (B) |
| 4 | | | | Species Across All Strata: | <u>u</u> | | (D) |
| 50% = <u>37.5</u> , 20% = <u>15</u> | <u>75</u> | = Total Cove | r | Percent of Dominant Specie | es 50 | | (A/B) |
| Sapling/Shrub Stratum (Plot size: 10) | | | | That Are OBL, FACW, or FA | √C: <u>50</u> | | (٨١٥) |
| 1. Rubus laciniatus | <u>30</u> | <u>yes</u> | <u>FACU</u> | Prevalence Index workshop | et: | | |
| 2. <u>Rubus armeniacus</u> | <u>20</u> | <u>yes</u> | FAC | Total % Cover | of: Multip | oly by: | |
| 3. <u>Symphoricarpos albus</u> | <u>5</u> | <u>no</u> | <u>FACU</u> | OBL species | x1 = | | |
| 4 | | | | FACW species 30 | x2 = | <u>60</u> | |
| 5 | | | | FAC species <u>125</u> | x3 = | <u>375</u> | |
| 50% = <u>27.5</u> , 20% = <u>11</u> | <u>55</u> | = Total Cove | r | FACU species <u>55</u> | x4 = | 220 | |
| Herb Stratum (Plot size: 10) | | | | UPL species | x5 = | | |
| 1. Phalaris arundinacea | <u>30</u> | <u>yes</u> | <u>FACW</u> | Column Totals: 210 | (A) | <u>655</u> (B) | |
| 2. Ranunculus repens | <u>20</u> | <u>yes</u> | <u>FAC</u> | Prevale | nce Index = B/A = <u>3.12</u> | | |
| 3. Athyrium filix-femina | <u>10</u> | <u>no</u> | FAC | Hydrophytic Vegetation In | idicators: | | |
| 4 | | | | ☐ 1 – Rapid Test for Hyd | drophytic Vegetation | | |
| 5 | | | | 2 - Dominance Test is | >50% | | |
| 6. | | | | ☐ 3 - Prevalence Index i | s <3 0 ¹ | | |
| 7. | · | | | | ptations¹ (Provide suppo | orting | |
| 8. | | | | | r on a separate sheet) | rung | |
| 9 | | | | 5 - Wetland Non-Vaso | cular Plants ¹ | | |
| 10 | | | _ | | | | |
| 11 | | | | | tic Vegetation¹ (Explain) | | |
| 50% = <u>30</u> , 20% = <u>12</u> | <u></u> | = Total Cove | | ¹ Indicators of hydric soil and | | t | |
| Woody Vine Stratum (Plot size: 10) | <u>00</u> | - Total Cove | • | be present, unless disturbed | d or problematic. | | |
| 1. Rubus ursinus | <u>20</u> | VAS | FACU | | | | |
| 2 | <u>20</u> | <u>yes</u> | TACO | Hydrophytic | | | |
| | 20 | —————————————————————————————————————— | | Vegetation | Yes | No | \boxtimes |
| 50% = <u>10</u> , 20% = <u>4</u> | <u>20</u> | = Total Cove | ſ | Present? | | | |
| % Bare Ground in Herb Stratum | | | | | | | |
| Remarks: | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Project Site: Parcel 3424069301

SOIL Sampling Point: DP#1 Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Matrix Redox Features (inches) Color (moist) % Color (moist) % Type¹ Loc² Remarks 0-15 10YR5/1 <u>95</u> 10YR4/3 5 clay ¹Type: C= Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils3: Histosol (A1) Sandy Redox (S5) 2 cm Muck (A10) Histic Epipedon (A2) Stripped Matrix (S6) Red Parent Material (TF2) Black Histic (A3) Loamy Mucky Mineral (F1) (except MLRA 1) Very Shallow Dark Surface (TF12) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Other (Explain in Remarks) \boxtimes Depleted Below Dark Surface (A11) Depleted Matrix (F3) Thick Dark Surface (A12) Redox Dark Surface (F6) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Depleted Dark Surface (F7) wetland hydrology must be present, \Box Sandy Gleyed Matrix (S4) Redox Depressions (F8) unless disturbed or problematic Restrictive Layer (if present): **Hydric Soils Present?** Yes \boxtimes No Depth (inches): Remarks: **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one required; check all that apply) Secondary Indicators (2 or more required) \boxtimes Surface Water (A1) Water-Stained Leaves (B9) Water-Stained Leaves (B9) High Water Table (A2) (except MLRA 1, 2, 4A, and 4B) (MLRA 1, 2, 4A, and 4B) Saturation (A3) Salt Crust (B11) Drainage Patterns (B10) Aquatic Invertebrates (B13) Water Marks (B1) Dry-Season Water Table (C2) Sediment Deposits (B2) Hydrogen Sulfide Odor (C1) Saturation Visible on Aerial Imagery (C9) Drift Deposits (B3) Oxidized Rhizospheres along Living Roots (C3) Geomorphic Position (D2) Algal Mat or Crust (B4) Presence of Reduced Iron (C4) Shallow Aguitard (D3) Iron Deposits (B5) Recent Iron Reduction in Tilled Soils (C6) FAC-Neutral Test (D5) Surface Soil Cracks (B6) Stunted or Stresses Plants (D1) (LRR A) Raised Ant Mounds (D6) (LRR A) Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Frost-Heave Hummocks (D7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present? \boxtimes Depth (inches): Yes No Water Table Present? Yes No Depth (inches): Saturation Present? Wetland Hydrology Present? \boxtimes No Yes No Depth (inches): (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: Remarks:

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

| Project Site: | Parcel 342406 | <u> 9301</u> | | | | | City/Coun | nty: | <u>Issaqua</u> | ah/King | | Samp | ling Date: | | 1/1 | 1/22 | |
|-----------------------------------|--------------------------|--------------------|------------------------|---------|----------------|-------------|----------------------------|--------|----------------|----------|----------------------|-----------------------|-------------|------------|----------------------------------------|------------|-------------|
| Applicant/Owner: | <u>Dynasty</u> | | | | | | | | | Sta | ite: WA | Samp | ling Point: | | DP: | <u>#2</u> | |
| Investigator(s): | John Altmann | | | | | | | | Sect | ion, Tov | wnship, Raı | nge: <u>S3</u> | 34,T24N,R | 6E | | | |
| Landform (hillslope, ter | rrace, etc.): | | | | | Loc | al relief (conca | ave, c | onvex, | none): | | | | Slope | (%): | | _ |
| Subregion (LRR): | <u>A</u> | | Lat: | 47.51 | 994 | | | Lo | ong: <u>-1</u> | 122.032 | <u>72</u> | | Datu | ım: _ | | _ | |
| Soil Map Unit Name: | | | | | | | | | | | NWI cla | ssificatio | on: | | | | |
| Are climatic / hydrologi | ic conditions on | the site typical f | or this time | e of ye | ear? | ١ | ∕es ⊠ | N | lo [| ☐ (If | no, explain | in Rema | arks.) | | | | |
| Are Vegetation □, | Soil □, | or Hydrology | □, sig | nifica | intly dis | sturbe | d? Are "I | 'Norma | al Circu | ımstand | es" presen | t? | , | /es | \boxtimes | No | |
| Are Vegetation □, | Soil □, | or Hydrology | □, na | turally | / probl | ematic | ? (If ne | eded, | explair | n any ai | nswers in R | Remarks. | .) | | | | |
| - | | | | - | | | · | | • | - | | | | | | | |
| SUMMARY OF FIN | DINGS - Att | ach site map s | showing | sam | pling | poin | t locations, | tran | sects. | impo | rtant feat | ures, e | tc. | | | | |
| Hydrophytic Vegetation | | | Yes | | No | \boxtimes | | , | , | | | , . | | | | | |
| Hydric Soil Present? | | | Yes | | No | \boxtimes | Is the Samp | | | | | | , | ⁄es | | No | \boxtimes |
| Wetland Hydrology Pre | esent? | | Yes | | No | ⊠ | within a We | etland | ? | | | | • | | _ | | |
| | | . – | 103 | | 110 | | | | | | | | | | | | |
| Remarks: located 10 |)' into upland at | : A-7 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| VEGETATION - Use | e scientific n | ames of plant | | | <u> </u> | | 1 12 4 | 1 | | | | | | | | | |
| Tree Stratum (Plot siz | ze: <u>10</u>) | | Absolu <u>% Cov</u> | | Domi Spec | | Indicator <u>Status</u> | Do | minand | ce Test | Workshee | et: | | | | | |
| 1. Acer macrophyllu | <u>m</u> | | 100 | | yes | | FACU | Nu | mber of | f Domin | ant Specie | s | | | | | (4) |
| 2. Crataegus monog | <u>gyna</u> | | <u>40</u> | | <u>yes</u> | | <u>FAC</u> | | | | CW, or FA | | _ | <u>1</u> | | | (A) |
| 3. <u>Ilex aquifolium</u> | | | <u>30</u> | | no | | <u>FACU</u> | Tot | tal Num | ber of I | Dominant | | | | | | |
| 4. | | | | | | | | | | | ll Strata: | | <u> </u> | <u>5</u> | | | (B) |
| 50% = <u>85</u> , 20% = <u>34</u> | | | 170 | | = Tot | al Cov | er | Pe | rcent of | f Domin | ant Species | e | | | | | |
| Sapling/Shrub Stratur | m (Plot size: 10 |) | | | | | | | | | CW, or FA | | 2 | <u> 20</u> | | | (A/B) |
| 1. Ilex aquifolium | _ ` _ | ., | <u>10</u> | | ves | | FACU | Pre | evalenc | e Inde | x workshe | et: | | | | | |
| 2 | | | 10 | | 100 | | 17100 | | ovalone | | % Cover o | | , | Multip | ılv hv | | |
| 3 | | | - | | | | | OB | SL speci | | 70 00101 0 | <u> 21.</u> | - | x1 = | ,, , , , , , , , , , , , , , , , , , , | | |
| 4. | | | - | | | | | | CW spe | | - | _ | | x2 = | _ | _ | |
| 5. | | | - | | | | | | C speci | | | _ | | x3 = | _ | | |
| | | | 10 | | | al Cav | | | - | | - | _ | | | _ | | |
| 50% = <u>5</u> , 20% = <u>2</u> | 40) | | <u>10</u> | | - 100 | al Cov | ei | | CU spe | | | _ | | x4 = | _ | _ | |
| Herb Stratum (Plot size | | | | | | | | UP | L speci | ies | | _ |) | x5 = | _ | | |
| 1. Polystichum muni | <u>itum</u> | | <u>50</u> | | <u>yes</u> | | <u>FACU</u> | Co | lumn To | otals: | | (A) | | | _ | (| (B) |
| 2. <u>Pteridium aquilinu</u> | <u>ım</u> | | <u>10</u> | | <u>no</u> | | <u>FACU</u> | | | | Prevalend | ce Index | = B/A = | | | | |
| 3 | | | | | | | | Ну | drophy | rtic Veg | etation Ind | dicators | : | | | | |
| 4 | | | | | | | | | 1 – F | Rapid T | est for Hyd | rophytic | Vegetation | n | | | |
| 5 | | | | | | | | | 2 - 0 | Oominar | nce Test is | >50% | | | | | |
| 6 | | | | | | | | | 3 - P | revaler | nce Index is | s <u><</u> 3.0¹ | | | | | |
| 7 | | | | | | | | 1_ | 4 - N | /lorphol | ogical Adar | otations ¹ | (Provide s | oggue | rtina | | |
| 8 | | | | | | | | | d | ata in F | Remarks or | on a sep | arate she | et) | Ŭ | | |
| 9 | | | | | | | | | 5 - V | Vetland | Non-Vascu | ular Plan | ts1 | | | | |
| 10. | | | | | | | | | Proh | olematic | : Hydrophyt | tic Veget | ration¹ (Ex | nlain) | | | |
| 11. | | | | | | | | | 1100 | nomane | , i i y ui opi i y i | iio vogot | auon (EX | piaiii) | | | |
| 50% = <u>30</u> , 20% = <u>12</u> | | | 60 | | = Tot | al Cov | er | | | | ric soil and | | | must | t | | |
| Woody Vine Stratum | (Plot size: 10) | | <u>00</u> | | 100 | u. 001 | 01 | be | presen | t, unles | s disturbed | or probl | ematic. | | | | |
| Rubus ursinus | (1 10t 3120. <u>10</u>) | | <u>10</u> | | V00 | | FACU | | | | | | | | | | |
| | | | 10 | | <u>yes</u> | | 1700 | Ну | drophy | /tic | | | | | | | |
| 2 | | | 10 | | | al C- | | _ | getatio | | | Yes | | | N | o | \boxtimes |
| 50% = <u>5</u> , 20% = <u>2</u> | | | <u>10</u> | | = 1 ot | al Cov | rei | Pre | esent? | | | | | | | | |
| % Bare Ground in He | erb Stratum | | | | | | | | | | | | | | | | |
| Remarks: | | | | _ | | | | | | | _ | | | _ | _ | · <u> </u> | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | | | | | | |

Project Site: Parcel 3424069301

SOIL Sampling Point: DP#2 Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Matrix Redox Features (inches) Color (moist) % Color (moist) % Type¹ Loc² Texture Remarks 0-15 10YR3/2 100 <u>loam</u> <u>dry</u> ¹Type: C= Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils3: Histosol (A1) Sandy Redox (S5) 2 cm Muck (A10) Histic Epipedon (A2) Stripped Matrix (S6) Red Parent Material (TF2) Black Histic (A3) Loamy Mucky Mineral (F1) (except MLRA 1) Very Shallow Dark Surface (TF12) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Other (Explain in Remarks) Depleted Below Dark Surface (A11) Depleted Matrix (F3) Thick Dark Surface (A12) Redox Dark Surface (F6) ³Indicators of hydrophytic vegetation and Sandy Mucky Mineral (S1) Depleted Dark Surface (F7) wetland hydrology must be present, \Box Sandy Gleyed Matrix (S4) Redox Depressions (F8) unless disturbed or problematic Restrictive Layer (if present): Type: **Hydric Soils Present?** Yes No \boxtimes Depth (inches) Remarks: No redoximorphic features **HYDROLOGY** Wetland Hydrology Indicators: Primary Indicators (minimum of one required; check all that apply) Secondary Indicators (2 or more required) Surface Water (A1) Water-Stained Leaves (B9) Water-Stained Leaves (B9) High Water Table (A2) (except MLRA 1, 2, 4A, and 4B) (MLRA 1, 2, 4A, and 4B) Saturation (A3) Salt Crust (B11) Drainage Patterns (B10) Aquatic Invertebrates (B13) Water Marks (B1) Dry-Season Water Table (C2) Sediment Deposits (B2) Hydrogen Sulfide Odor (C1) Saturation Visible on Aerial Imagery (C9) Drift Deposits (B3) Oxidized Rhizospheres along Living Roots (C3) Geomorphic Position (D2) Algal Mat or Crust (B4) Presence of Reduced Iron (C4) Shallow Aguitard (D3) Iron Deposits (B5) Recent Iron Reduction in Tilled Soils (C6) FAC-Neutral Test (D5) Surface Soil Cracks (B6) Stunted or Stresses Plants (D1) (LRR A) Raised Ant Mounds (D6) (LRR A) Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Frost-Heave Hummocks (D7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present? \boxtimes Depth (inches): Yes No \boxtimes Water Table Present? Yes No Depth (inches): Saturation Present? Wetland Hydrology Present? No \boxtimes Yes No \boxtimes Depth (inches): (includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: Remarks:

ATTACHMENT B WETLAND RATING

RATING SUMMARY – Western Washington

| Name of wetland (or ID #): | Parcel 342406-9301 | | Date of site visit: | 1/11/2022 |
|----------------------------|------------------------|------------------------------------|---------------------|---------------|
| Rated by Altmann | | Trained by Ecology? ☑ Yes ☐ No | Date of training | 03/08 & 03/15 |
| HGM Class used for rating | Depressional & Flats | Wetland has multi | ole HGM classes? ☑ | Yes □No |
| | = | the figures requested (figures car | n be combined). | |
| | | | | |
| OVERALL WETLAND CA | ATEGORYI | (based on functions | al characteristics |) |
| 1. Category of wetland | d based on FUNCTI | ONS | | |
| X | Category I - Total so | ore = 23 - 27 | Score for each | |
| | Category II - Total s | core = 20 - 22 | function based | |
| | Category III - Total s | score = 16 - 19 | on three | |
| | Category IV - Total s | | ratings | |

| FUNCTION | Improving Water Quality | | | | | | | |
|---------------------------|-----------------------------------|---|---|-------|--|--|--|--|
| | List appropriate rating (H, M, L) | | | | | | | |
| Site Potential | Н | M | Н | | | | | |
| Landscape Potential | M | Н | L | | | | | |
| Value | Н | Н | Н | Total | | | | |
| Score Based on Ratings | 8 | 8 | 7 | 23 | | | | |

Score for each function based on three ratings (order of ratings is not important) 9 = H, H, H 8 = H, H, M 7 = H, H, L 7 = H, M, M 6 = H, M, L 6 = M, M, M 5 = H, L, L 5 = M, M, L 4 = M, L, L 3 = L, L, L

2. Category based on SPECIAL CHARACTERISTICS of wetland

| CHARACTERISTIC | Category |
|------------------------------------|----------|
| Estuarine | |
| Wetland of High Conservation Value | |
| Bog | |
| Mature Forest | |
| Old Growth Forest | |
| Coastal Lagoon | |
| Interdunal | |
| None of the above | Х |

| Wetland name or number A | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|----------------|
| DEPRESSIONAL AND FLATS WETLA | <u>ANDS</u> | |
| Water Quality Functions - Indicators that the site functions to im | prove water quality | |
| D 1.0. Does the site have the potential to improve water quality? | | |
| D 1.1. Characteristics of surface water outflows from the wetland: | | |
| Wetland is a depression or flat depression (QUESTION 7 on key) | | |
| with no surface water leaving it (no outlet). | points = 3 | |
| Wetland has an intermittently flowing stream or ditch, OR highly | | |
| constricted permanently flowing outlet. | points = 2 | 2 |
| \square Wetland has an unconstricted, or slightly constricted, surface outlet | | |
| that is permanently flowing | points = 1 | |
| ☐ Wetland is a flat depression (QUESTION 7 on key), whose outlet is | | |
| a permanently flowing ditch. | points = 1 | |
| D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic | | 4 |
| (use NRCS definitions). | Yes = 4 No = 0 | |
| D 1.3. Characteristics and distribution of persistent plants (Emergent, Scrub-sh | rub, and/or | |
| Forested Cowardin classes): | nainta — F | |
| Wetland has persistent, ungrazed, plants > 95% of area | points = 5 | 1 2 |
| Wetland has persistent, ungrazed, plants > ½ of area | points = 3 | |
| Wetland has persistent, ungrazed plants > 1/10 of area | points = 1 | |
| Wetland has persistent, ungrazed plants < 1/10 of area | points = 0 | |
| D 1.4. Characteristics of seasonal ponding or inundation: | | |
| This is the area that is ponded for at least 2 months. See description | | |
| Area seasonally ponded is > ½ total area of wetland | points = 4 | |
| Area seasonally ponded is > 1/4 total area of wetland | points = 2 | |
| Area seasonally ponded is < ½ total area of wetland | points = 0 | |
| | in the boxes above | 1 |
| Rating of Site Potential If score is: 2 12 - 16 = H 6 - 11 = M 0 - 5 = L | Record the rating or | the first page |
| D 2.0. Does the landscape have the potential to support the water quality funct | ion of the site? | |
| D 2.1. Does the wetland unit receive stormwater discharges? | Yes = 1 No = 0 | 1 |
| D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that | 100 1 110 0 | |
| generate pollutants? | Yes = 1 No = 0 | 1 |
| D 2.3. Are there septic systems within 250 ft of the wetland? | Yes = 1 No = 0 | |
| D 2.4. Are there other sources of pollutants coming into the wetland that are | 100 1 110 0 | |
| not listed in questions D 2.1 - D 2.3? | | 0 |
| Source | Yes = 1 No = 0 | |
| Total for D 2 Add the points | in the boxes above | 2 |
| Rating of Landscape Potential If score is: 3 or 4 = H 1 or 2 = M 0 = L | Record the rating or | the first page |
| | | |
| | | |
| D 3.0. Is the water quality improvement provided by the site valuable to society | ? | |
| D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, | ? | 1 |
| D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list? | Yes = 1 No = 0 | 1 |
| D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, | Yes = 1 No = 0 ne 303(d) list? | |
| D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list? | Yes = 1 No = 0 | 1 |
| D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list? D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the D 3.3. Has the site been identified in a watershed or local plan as important | Yes = 1 No = 0 ne 303(d) list? | 1 |
| D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list? D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer YES if there is a TMDL for the basin in | Yes = 1 No = 0 ne 303(d) list? | 1 |
| D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list? D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer YES if there is a TMDL for the basin in which the unit is found)? | Yes = 1 No = 0 ne 303(d) list? Yes = 1 No = 0 Yes = 2 No = 0 | 1 2 |
| D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list? D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the discrete stream of the site been identified in a watershed or local plan as important for maintaining water quality (answer YES if there is a TMDL for the basin in which the unit is found)? | Yes = 1 No = 0 ne 303(d) list? Yes = 1 No = 0 | 1 2 4 |

| DEPRESSIONAL AND FLATS WETLANDS | |
|----------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Hydrologic Functions - Indicators that the site functions to reduce flooding and stream degr | adation |
| D 4.0. Does the site have the potential to reduce flooding and erosion? | |
| D 4.1. <u>Characteristics of surface water outflows from the wetland:</u> | |
| Wetland is a depression or flat depression with no surface water | |
| leaving it (no outlet) points = 4 | |
| Wetland has an intermittently flowing stream or ditch, OR highly | |
| constricted permanently flowing outlet points = 2 | 2 |
| Wetland is a flat depression (QUESTION 7 on key), whose outlet is | |
| a permanently flowing ditch points = 1 | |
| Wetland has an unconstricted, or slightly constricted, surface outlet | |
| that is permanently flowing points = 0 D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of | |
| the outlet. For wetlands with no outlet, measure from the surface of permanent water or if dry, the | |
| deepest part. | |
| Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7 | |
| Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5 | 5 |
| ☐ Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3 | 0 |
| ☐ The wetland is a "headwater" wetland points = 3 | |
| Wetland is flat but has small depressions on the surface that trap water points = 1 | |
| Marks of ponding less than 0.5 ft (6 in) | |
| D 4.3. Contribution of the wetland to storage in the watershed: Estimate the ratio of the area of | |
| upstream basin contributing surface water to the wetland to the area of the wetland unit itself. | |
| ☐ The area of the basin is less than 10 times the area of the unit points = 5 | |
| The area of the basin is 10 to 100 times the area of the unit points = 3 | 3 |
| The area of the basin is more than 100 times the area of the unit points = 0 | |
| ☐ Entire wetland is in the Flats class points = 5 | |
| Total for D 4 Add the points in the boxes above | 10 |
| Rating of Site Potential If score is: 12 - 16 = H 6 - 11 = M 0 - 5 = L Record the rating on | the first page |
| D 5.0. Does the landscape have the potential to support hydrologic function of the site? | |
| D 5.1. Does the wetland unit receive stormwater discharges? Yes = 1 No = 0 | 1 |
| D 5.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate excess runoff? | |
| Yes = 1 No = 0 | 1 |
| D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human | |
| land uses (residential at >1 residence/ac, urban, commercial, agriculture, etc.)? | 1 |
| Yes = 1 No = 0 | |
| Total for D 5 Add the points in the boxes above | 3 |
| Rating of Landscape Potential If score is: 3 = H 1 or 2 = M 0 = L Record the rating on | the first page |
| D 6.0. Are the hydrologic functions provided by the site valuable to society? | |
| D 6.1. The unit is in a landscape that has flooding problems. Choose the description that best | |
| matches conditions around the wetland unit being rated. Do not add points. Choose the highest | |
| score if more than one condition is met. | |
| The wetland captures surface water that would otherwise flow down-gradient into areas | |
| where flooding has damaged human or natural resources (e.g., houses or salmon redds): | |
| Flooding occurs in a sub-basin that is immediately down- | |
| gradient of unit. points = 2 | 2 |
| Surface flooding problems are in a sub-basin farther down- | 2 |
| gradient. points = 1 | |
| \Box Flooding from groundwater is an issue in the sub-basin. points = 1 | |
| ☐ The existing or potential outflow from the wetland is so constrained | |
| by human or natural conditions that the water stored by the wetland | |
| cannot reach areas that flood. Explain why points = 0 | |
| ☐ There are no problems with flooding downstream of the wetland. points = 0 | |
| D 6.2. Has the site been identified as important for flood storage or flood | 2 |
| conveyance in a regional flood control plan? Yes = 2 No = 0 | |
| Total for D 6 Add the points in the boxes above | 4 |
| Rating of Value If score is: 2 - 4 = H 1 = M 0 = L Record the rating on | 41 E |

Wetland Rating System for Western WA: 2014 Update Rating Form - Effective January 1, 2015

| Wetland name or number A | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| These questions apply to wetlands of all HGM classes. | |
| HABITAT FUNCTIONS - Indicators that site functions to provide important habitat | |
| H 1.0. Does the site have the potential to provide habitat? | |
| H 1.1. Structure of plant community: Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of ¼ ac or more than 10% of the unit if it is smaller than 2.5 ac. Add the number of structures checked. | |
| Aquatic bed ✓ Emergent ✓ Scrub-shrub (areas where shrubs have > 30% cover) ✓ Forested (areas where trees have > 30% cover) ✓ I structures: points = 0 ✓ If the unit has a Forested class, check if: ✓ The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the Forested polygon | 4 |
| H 1.2. Hydroperiods Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ ac to count (see text for descriptions of hydroperiods). | |
| ✓ Permanently flooded or inundated ✓ Seasonally flooded or inundated ✓ Occasionally flooded or inundated ✓ Occasionally flooded or inundated ✓ Saturated only ✓ Permanently flowing stream or river in, or adjacent to, the wetland ✓ Seasonally flowing stream in, or adjacent to, the wetland | 3 |
| □ Lake Fringe wetland□ Freshwater tidal wetland2 points | İ |
| H 1.3. Richness of plant species | |
| Count the number of plant species in the wetland that cover at least 10 ft ² . Different patches of the same species can be combined to meet the size threshold and you do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle | 2 |
| If you counted: > 19 species points = 2 5 - 19 species points = 1 | İ |
| < 5 species points = 0 | İ |
| H 1.4. Interspersion of habitats Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high. | 3 |
| None = 0 points Low = 1 point Moderate = 2 points | 1 |
| All three diagrams in this row are HIGH = 3 points | |

| Wetland name or number A | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| H 1.5. Special habitat features: | |
| Check the habitat features that are present in the wetland. The number of checks is the number | |
| of points. | |
| ☐ Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long) | |
| ☑ Standing snags (dbh > 4 in) within the wetland | |
| ✓ Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extends | |
| at least 3.3 ft (1 m) over a stream (or ditch) in, or contiguous with the wetland, for at | |
| least 33 ft (10 m) | 4 |
| ☐ Stable steep banks of fine material that might be used by beaver or muskrat for denning | - |
| (> 30 degree slope) OR signs of recent beaver activity are present (<i>cut shrubs or trees</i> | |
| | |
| that have not yet weathered where wood is exposed) | |
| ☑ At least ¼ ac of thin-stemmed persistent plants or woody branches are present in areas | |
| that are permanently or seasonally inundated (structures for egg-laying by amphibians) | |
| ☐ Invasive plants cover less than 25% of the wetland area in every stratum of plants (see | |
| H 1.1 for list of strata) | |
| Total for H 1 Add the points in the boxes above | 16 |
| Rating of Site Potential If Score is: 15 - 18 = H 7 - 14 = M 0 - 6 = L Record the rating on the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of | the first page |
| | |
| H 2.0. Does the landscape have the potential to support the habitat function of the site? | |
| H 2.1 Accessible habitat (include only habitat that directly abuts wetland unit). | |
| Calculate: | |
| 0 % undisturbed habitat + (0.5 % moderate & low intensity land uses / 2) = 0.25% | |
| ` <u> </u> | |
| If total accessible habitat is: | 0 |
| | O |
| $> \frac{1}{3}$ (33.3%) of 1 km Polygon points = 3 | |
| 20 - 33% of 1 km Polygon points = 2 | |
| 10 - 19% of 1 km Polygon points = 1 | |
| < 10 % of 1 km Polygon points = 0 | |
| H 2.2. Undisturbed habitat in 1 km Polygon around the wetland. | |
| Calculate: | |
| 36 % undisturbed habitat + (10.2 % moderate & low intensity land uses / 2) = 41.1% | |
| | 2 |
| Undisturbed habitat > 50% of Polygon points = 3 | 2 |
| Undisturbed habitat 10 - 50% and in 1-3 patches points = 2 | |
| Undisturbed habitat 10 - 50% and > 3 patches points = 1 | |
| Undisturbed habitat < 10% of 1 km Polygon points = 0 | |
| H 2.3 Land use intensity in 1 km Polygon: If | |
| > 50% of 1 km Polygon is high intensity land use points = (-2) | -2 |
| ≤ 50% of 1km Polygon is high intensity points = 0 | _ |
| | • |
| Total for H 2 Add the points in the boxes above | 0 that first make |
| Rating of Landscape Potential If Score is: 4 - 6 = H 1 - 3 = M <- 1 = L Record the rating on the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the | tne tirst page |
| U. 2.0. In the habitet are vided by the cite velveble to enciety? | |
| H 3.0. Is the habitat provided by the site valuable to society? | |
| H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? <i>Choose</i> | |
| only the highest score that applies to the wetland being rated. | |
| Site meets ANY of the following criteria: points = 2 | |
| ☑ It has 3 or more priority habitats within 100 m (see next page) | |
| ☑ It provides habitat for Threatened or Endangered species (any plant | |
| or animal on the state or federal lists) | |
| ☐ It is mapped as a location for an individual WDFW priority species | 2 |
| ☐ It is a Wetland of High Conservation Value as determined by the | ۷ |
| Department of Natural Resources | |
| ☐ It has been categorized as an important habitat site in a local or | |
| regional comprehensive plan, in a Shoreline Master Plan, or in a | |
| watershed plan | |
| Site has 1 or 2 priority habitats (listed on next page) with in 100m points = 1 | |
| Site does not meet any of the criteria above points = 0 | |
| | the first page |

Wetland Rating System for Western WA: 2014 Update Rating Form - Effective January 1, 2015

WDFW Priority Habitats

<u>Priority habitats listed by WDFW</u> (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp.

http://wdfw.wa.gov/publications/00165/wdfw00165.pdf or access the list from here: http://wdfw.wa.gov/conservation/phs/list/

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: **NOTE**: This question is independent of the land use between the wetland unit and the priority habitat. Aspen Stands: Pure or mixed stands of aspen greater than 1 ac (0.4 ha). Biodiversity Areas and Corridors: Areas of habitat that are relatively important to various species of native fish and wildlife (full descriptions in WDFW PHS report). ☐ **Herbaceous Balds**: Variable size patches of grass and forbs on shallow soils over bedrock. Old-growth/Mature forests: Old-growth west of Cascade crest – Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. Mature forests - Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest. Oregon White Oak: Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (full descriptions in WDFW PHS report p. 158 - see web link above). Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other. ☐ Westside Prairies: Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161 - see web link above). Instream: The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources. Nearshore: Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report – see web link on previous page). Caves: A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human. ☐ Cliffs: Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation. **Talus**: Homogenous areas of rock rubble ranging in average size 0.5 - 6.5 ft (0.15 - 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs. Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

Note: All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

PO Box 578 Carnation, WA 98

Office (425) 333-45


Fax (425) 333-4509

Environmental
Planning &
Landscape
Architecture

King County Parcel 122305-9025

Figure A

AOA - 6695





0 500,000 2,000 3,000 4,000 US Feet

Relatively Undisturbed Habitat 36.0%
Low_Moderate Intensity Habitat 9.7%

Accessible Low_Moderate Intensity Habitat 0.5%


WW High Intensity Habitat 53.8%


King County Parcel 122305-9025

Figure B

AOA - 6695








Approximate Wetland A Rating Unit


150' Pollution Assessment Polygon

Pollution Generating Surfaces 53.5%





6695 Figure C



Assessed Water/Sediment

Water

Category 5 - 303d

Category 4C

Category 4B

Category 4A

Category 2

Category 1

Sediment

Category 5 - 303d


ZZZZ Category 4C

ZZZ Category 4B

Category 4A

Category 2

6695 Figure D



Assessed Water/Sediment

Water

Category 5 - 303d

Category 4C

Category 4B

Category 4A

Category 2

🔰 Category 1

Sediment

Category 5 - 303d

ZZZZ Category 4C

ZZZ Category 4B

Category 2

WQ Improvement Projects

Approved

In Development